



KORVEX MINI EXCAVATOR SERIES

Professional Small Excavator For Construction, Garden, Farm & Indoor Works
— Engineered for unmatched performance in tight spaces.

POWER · EFFICIENCY · VERSATILITY

KORVEX EXCAVATORS ADVANTAGES



Heavy-duty Construction

Thick steel body with anti-rust red baking paint for exceptional durability and a long service life in harsh working environments.



Superior Maneuverability

Standard arm side swing and retractable tracks allow seamless operation in extremely narrow spaces like basements, elevators, and tight urban alleys.



Reliable Power Performance

Equipped with original Kubota engines, delivering low fuel consumption, strong power, and stable, consistent performance for all tasks.



Comprehensive Safety Features

FOPS/ROPS certified protective structure, hydraulic safety lock, and intelligent monitoring screen for operator security and machine health.



Robust Hydraulic System

Integrated forged cylinders with premium NOK seals ensure resistance to impact, zero leakage, and precise control over all hydraulic functions.



Extreme Versatility & Adaptability

Compatible with a wide range of attachments (breakers, grapples, augers) to tackle diverse tasks from demolition to landscaping.



Ideal for small courtyard projects, garden landscaping, and agricultural auxiliary work. Its compact size delivers unmatched efficiency in confined areas.

KORVEX K10 ULTRA-SMALL EXCAVATOR



Internal Travel Motor

Protected internal motor design ensures exceptional durability and longevity under heavy use.



4-Post Canopy

Robust overhead structure provides maximum safety and protection for the operator.



360° Full Rotation

Ultimate maneuverability allows operation in the tightest spaces with zero tail swing.



Industrial-Grade Steel

Thickened steel construction with anti-corrosion coating for long-term reliability.

978 kg

Operating Weight

1833 mm

Max. Digging Depth

13.4 KW

Max Power Output

Engine: 192F / B&S / Kubota Z482 | Track Width: 900-1200 mm |
Bucket: 0.014 m³



Ultra-compact design fits in standard elevators, ideal for narrow space operations.

KORVEX K13 INDOOR SPECIAL EXCAVATOR



Elevator Access

Compact design fits perfectly in standard elevators for easy transportation.



Foldable Armrests

Ergonomic foldable design allows for safe and effortless operator entry and exit.



Dual Pilot Controls

Precise and responsive joysticks for intuitive track and boom operation.



Hydraulic Oil Cooler

Cooler

Efficient cooling system ensures continuous heavy-duty work without overheating.

SPECIFICATIONS

Weight: 1320 kg
Capacity: 0.014 m³
Power: 10.2 KW

KEY DIMENSIONS & ENGINE

Max Depth: 2044 mm | Track: 750-990 mm
Engine: Kubota D722, reliable and fuel-efficient diesel engine.



Compact yet powerful, the K15 is engineered to excel in landscaping, agriculture, and small-scale earthmoving tasks with unmatched precision.

KORVEX K15 HIGH-EFFICIENCY GARDEN EXCAVATOR



Imported Components

High-end, precision machined parts ensure superior reliability and long-term performance in demanding environments.



Dual-Speed Travel

Seamlessly switch between low and high speeds to adapt to varying terrains and job site mobility requirements.



Forged Cylinders

One-piece, heavy-duty construction eliminates weak points, providing exceptional strength and durability for heavy loads.



Maneuverability

Boom swing and retractable tracks enable operation in tight, complex spaces where larger machines cannot fit.

Operating Weight: **1445 kg**

Bucket Capacity: **0.018 m³**

Max Depth: **1807 mm**

Track Width: **900-1200 mm**

Engine: **Kubota D722**

Power Output: **10.2 KW**



Designed for municipal projects, offering comfort, safety, and powerful performance. An ideal partner for small to medium construction jobs.

KORVEX K18 COMFORT MUNICIPAL EXCAVATOR

ENCLOSED CAB WITH AC

Equipped with an enclosed cab and efficient AC system, it isolates noise and dust, providing a comfortable working environment for the operator.

ROPS/FOPS CERTIFIED

ROPS/FOPS certified for rollover and falling object protection, ensuring maximum operator safety.

SMART LCD MONITOR

The smart LCD monitor displays real-time engine data and provides intelligent fault diagnosis for efficient operation.

EATON SWING MOTOR

Equipped with a high-performance Eaton swing motor, it delivers large torque and smooth rotation, suitable for complex terrain.

SPEC:1818kg Weight | 0.045m³
Bucket | 2420mm Depth

POWER:Kubota D902 Engine |
11.8KW | 990-1300mm Track



KORVEX K22 HEAVY-DUTY EARTHMOVING EXCAVATOR

Dual Full-Open Service Doors

Easy access to all critical components ensures minimal downtime for routine maintenance and

Top-Tier Hydraulic

Pump

Delivers exceptional precision and smooth control over all boom movements for accurate digging and material handling.

Foldable Glass & Protective Net

Optimizes operator visibility while providing robust protection against debris, combining safety with operational efficiency.

Cast Boom Bracket

One-piece cast construction enhances structural rigidity, ensuring durability and stability under maximum load conditions.

Engineered for heavy-duty urban construction tasks, the K22 delivers uncompromising power, precision, and operator safety in the most demanding environments.

OPERATING WEIGHT

2439kg

ENGINE POWER

18.2KW

DIGGING DEPTH

2293mm



KORVEX K32 3T HEAVY MINI EXCAVATOR

Imported Core



Parts

Utilizes top-tier imported components for unmatched reliability and long-term performance.

Spacious Operator



Cabin

Ergonomic design with ample legroom and intuitive controls for superior operator comfort.

Hydraulic Pilot



Control

Precise, responsive foot operation ensures agile maneuvering and accurate digging control.

Easy Maintenance



Access

Full-open engine covers provide unobstructed access to vital components for quick service.

Engineered for extreme durability and peak productivity, the K32 is the ultimate workhorse for heavy-duty earthmoving and construction challenges.

Operating Weight

3,219kg

Max. Digging Depth

2,827mm

Engine Power

18.2kw

FULL MODEL PARAMETER COMPARISON



MODEL K10

Weight:**978 kg**
Bucket:**0.014 m³**
Power:**7.5~13.4 KW**

Engine: 192F/B&S/Z482
Max Depth: 1833 mm
Scene: Elevator, ultra-small indoor construction

MODEL K18

Weight:**1818 kg**
Bucket:**0.045 m³**
Power:**11.8 KW**

Engine: Kubota D902
Max Depth: 2420 mm
Scene: Municipal maintenance, orchard digging

MODEL K13

Weight:**1320 kg**
Bucket:**0.014 m³**
Power:**10.2 KW**

Engine: Kubota D722
Max Depth: 2044 mm
Scene: Courtyard renovation, indoor decoration

MODEL K22

Weight:**2439 kg**
Bucket:**0.054 m³**
Power:**18.2 KW**

Engine: Kubota D1105
Max Depth: 2293 mm
Scene: Medium & small earthwork, infrastructure

MODEL K15

Weight:**1445 kg**
Bucket:**0.018 m³**
Power:**10.2 KW**

Engine: Kubota D722
Max Depth: 1807 mm
Scene: Garden maintenance, small farm reclamation

MODEL K32

Weight:**3219 kg**
Bucket:**0.080 m³**
Power:**18.2 KW**

Engine: Kubota V1505
Max Depth: 2827 mm
Scene: Heavy earthwork, rural infrastructure

KORVEX GLOBAL SERVICE GUARANTEE



In-stock Availability

Ready-to-ship inventory and a full range of custom attachments to meet diverse construction needs.



Global Warranty

Comprehensive protection for Kubota engine and hydraulic systems, ensuring peace of mind worldwide.



Premium Paint Process

Unified anti-rust red baking paint for superior durability and corrosion resistance in harsh environments.

THANK YOU

Company Contact:

Web: www.korvex.cn Tel: +86 150 5365 0025

Mail: info@korvex.cn

